
WORLDWIDE REFINERY PROCESSING REVIEW

Monitoring Technology Development and Competition in One Single Source

Second Quarter 2019

Hydrocracking, and Product Treating and Blending

Plus

Latest Refining Technology Developments & Licensing



HYDROCARBON PUBLISHING COMPANY

Translating Knowledge into Profitability®

P.O. Box 815, Paoli, PA 19301-0815 (U.S.A.)

Phone: (610) 408-0117

Review@Hydrocarbonpublishing.com

WORLDWIDE REFINERY PROCESSING REVIEW

Monitoring Technology Development and Competition in a Single Source

Second Quarter 2019

Hydrocracking, and Product Treating and Blending

Plus

Latest Refining Technology Developments & Licensing

<http://www.hydrocarbonpublishing.com>

WORLDWIDE REFINERY PROCESSING REVIEW is published by Hydrocarbon Publishing Co. every quarter. Copyright 2007-2019. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or translated into any language or by any means—electronic, mechanical, photocopying, recording or otherwise—without prior written permission of Hydrocarbon Publishing Company. P.O. Box 815, Paoli, PA 19301-0815 (USA). Tel: (610) 408-0117. E-mail: review@hydrocarbonpublishing.com

2Q 2019 Review

Hydrocracking, and Product Treating and Blending

| | |
|---|-----------|
| 1. INTRODUCTION..... | 1 |
| 2. HYDROCRACKING..... | 5 |
| 2.1 <i>Market/Technology Trends & Opportunities</i> | <i>5</i> |
| 2.1.1 Introduction..... | 5 |
| 2.1.2 Market Conditions and Outlook | 6 |
| 2.1.2.1 Global Transportation Fuels Specifications..... | 6 |
| 2.1.2.1.1 Motor Gasoline..... | 7 |
| 2.1.2.1.2 Middle Distillates..... | 9 |
| 2.1.2.1.3 Bunker Fuel | 12 |
| 2.1.2.2 Global Refined Products Demand..... | 13 |
| 2.1.2.2.1 Diesel Losing Ground to Alternatives in Parts of the World..... | 15 |
| 2.1.2.2.2 Short-term Diesel Growth Opportunities..... | 17 |
| 2.1.2.2.3 Jet Fuel Demand on the Rise around the Globe..... | 18 |
| 2.1.2.3 Shifting Crude Slate..... | 20 |
| 2.1.2.3.1 Opportunity Crudes..... | 20 |
| 2.1.2.3.2 Tight Oil | 23 |
| 2.1.2.4 Hydrogen Supply and Demand | 24 |
| 2.1.2.5 Capacity Expansion | 25 |
| 2.1.2.6 Construction Projects and Unit Revamps | 27 |
| 2.1.2.7 Hydrocracking Catalyst Market..... | 27 |
| 2.1.3 Technology Competition, Direction, and Future Prospects..... | 30 |
| 2.1.3.1 Market Layout and Strategic Alliances | 30 |
| 2.1.3.2 Recent Technology Developments | 35 |
| 2.1.3.2.1 Catalyst Developments..... | 35 |
| 2.1.3.2.1.1 Middle Distillates..... | 36 |
| 2.1.3.2.1.2 Heavy Naphtha..... | 38 |
| 2.1.3.2.2 Process and Hardware Developments | 39 |
| 2.1.3.2.2.1 Aromatics Production..... | 40 |
| 2.1.3.2.2.2 Two-phase Hydrocracking..... | 42 |
| 2.1.3.2.2.3 Reactor Internals..... | 42 |
| 2.1.3.2.2.4 HPNAs Removal..... | 43 |
| 2.1.3.2.3 Conventional and Mild Hydrocracking..... | 44 |
| 2.1.3.2.4 Resid Hydrocracking..... | 45 |
| 2.1.3.2.5 Alternative Feed Hydrocracking..... | 50 |
| 2.1.3.2.6 Integration Options | 51 |
| 2.1.3.2.7 Process Modeling and Control | 52 |
| 2.1.3.3 Latest R&D Trends | 53 |
| 2.1.4 Conclusion..... | 54 |
| 2.2 <i>State-of-the-Art Technology</i> | <i>56</i> |
| 2.2.1 Introduction..... | 56 |
| 2.2.2 Commercial Process Technology | 57 |
| 2.2.2.1 Axens..... | 58 |
| 2.2.2.1.1 Mild Hydrocracking | 59 |
| 2.2.2.1.1.1 Mild-HCK..... | 59 |
| 2.2.2.1.1.2 HyC-10/HyC-10+ | 60 |
| 2.2.2.1.2 H-Oil _{pc} | 64 |

| | | |
|-------------|---|-----|
| 2.2.2.1.3 | Medium-pressure Hydrocracking | 65 |
| 2.2.2.1.4 | Conventional (High-pressure) Hydrocracking | 65 |
| 2.2.2.1.5 | HPNA Removal | 71 |
| 2.2.2.1.6 | Reactor Internals | 71 |
| 2.2.2.2 | Chevron Lummus Global | 73 |
| 2.2.2.2.1 | ISOCRACKING | 74 |
| 2.2.2.2.1.1 | Single-stage Once Through and Single-stage Recycle..... | 76 |
| 2.2.2.2.1.2 | Two-stage Recycle | 80 |
| 2.2.2.2.1.3 | Optimized Partial Conversion | 83 |
| 2.2.2.2.1.4 | Selective Staging | 86 |
| 2.2.2.2.1.5 | Split-feed Injection..... | 88 |
| 2.2.2.2.1.6 | Single-stage Reverse Sequencing..... | 89 |
| 2.2.2.2.2 | ISOFLEX | 90 |
| 2.2.2.2.3 | Reactor Internals | 92 |
| 2.2.2.3 | DuPont Clean Technologies..... | 95 |
| 2.2.2.4 | ExxonMobil..... | 98 |
| 2.2.2.4.1 | Single-stage MPHIC..... | 99 |
| 2.2.2.4.2 | MPHC-PTU | 104 |
| 2.2.2.4.3 | MPHC-LCO | 105 |
| 2.2.2.4.4 | Two-stage MPHIC | 107 |
| 2.2.2.4.5 | MIDW..... | 109 |
| 2.2.2.4.6 | Spider-Vortex Reactor Internals | 111 |
| 2.2.2.5 | Haldor Topsoe | 111 |
| 2.2.2.5.1 | Mild Hydrocracking..... | 112 |
| 2.2.2.5.1.1 | Staged Partial Conversion Hydrocracking..... | 114 |
| 2.2.2.5.1.2 | Back-End Shift (BES) Process..... | 115 |
| 2.2.2.5.2 | Conventional (High-pressure) Hydrocracking..... | 116 |
| 2.2.2.5.3 | HPNA Trim | 116 |
| 2.2.2.5.4 | Reactor Internals | 118 |
| 2.2.2.6 | Honeywell UOP | 121 |
| 2.2.2.6.1 | MHC Unicracking | 122 |
| 2.2.2.6.2 | Unicracking | 123 |
| 2.2.2.6.2.1 | Single-stage Once Through or with Recycle | 125 |
| 2.2.2.6.2.2 | Two-stage | 129 |
| 2.2.2.6.2.3 | Enhanced Two-Stage | 131 |
| 2.2.2.6.3 | Partial-conversion Unicracking | 133 |
| 2.2.2.6.4 | Dieselmax..... | 137 |
| 2.2.2.6.5 | HyCycle Unicracking..... | 139 |
| 2.2.2.6.6 | Advanced Partial Conversion Unicracking | 140 |
| 2.2.2.6.7 | HPNA Removal Systems..... | 142 |
| 2.2.2.6.8 | Reactor Internals | 142 |
| 2.2.2.7 | Shell Catalysts & Technologies | 145 |
| 2.2.2.7.1 | Mild Hydrocracking..... | 146 |
| 2.2.2.7.2 | Conventional Hydrocracking..... | 148 |
| 2.2.2.7.3 | Reactor Internals | 152 |
| 2.2.2.8 | Sinopec | 159 |
| 2.2.2.8.1 | Flexible Hydrotreating/Mild Hydrocracking | 159 |
| 2.2.2.8.2 | Medium-pressure Hydro-Upgrading..... | 160 |
| 2.2.2.8.3 | Moderate-pressure Hydrocracking..... | 162 |
| 2.2.2.8.4 | High-pressure Hydrocracking..... | 163 |
| 2.2.2.8.4.1 | Single-stage Hydrocracking..... | 163 |

| | | |
|-------------|--|-----|
| 2.2.2.8.4.2 | Single-stage in Series Hydrocracking..... | 164 |
| 2.2.2.8.4.3 | Single-stage, Double-catalyst Hydrocracking | 166 |
| 2.2.2.8.4.4 | Two-stage Hydrocracking..... | 167 |
| 2.2.2.8.4.5 | Flexible Hydrocracking | 167 |
| 2.2.2.9 | Summary of Hydrocracking Process Technologies | 168 |
| 2.2.3 | Commercial Catalysts..... | 173 |
| 2.2.3.1 | Albemarle..... | 174 |
| 2.2.3.2 | Axens..... | 176 |
| 2.2.3.3 | Clariant Catalysts | 180 |
| 2.2.3.4 | Chevron Lummus Global..... | 180 |
| 2.2.3.5 | Haldor Topsoe..... | 190 |
| 2.2.3.6 | Honeywell UOP | 197 |
| 2.2.3.7 | JGC Catalysts & Chemicals | 202 |
| 2.2.3.8 | Shell Catalysts & Technologies..... | 202 |
| 2.2.3.9 | Sinopec Catalyst Co..... | 218 |
| 2.2.3.10 | Summary of Commercially Available Hydrocracking Catalysts | 221 |
| 2.2.4 | Auxiliary Catalyst Technology | 224 |
| 2.2.4.1 | Axens..... | 224 |
| 2.2.4.2 | Crystaphase Products | 224 |
| 2.2.4.3 | Eurecat | 225 |
| 2.2.4.4 | Reactor Resources | 226 |
| 2.2.4.5 | TRICAT..... | 227 |
| 2.2.5 | Control and Optimization Systems | 227 |
| 2.2.6 | Resid Hydrocracking | 232 |
| 2.2.7 | Renewable Hydrocracking | 245 |
| 2.3 | <i>Plant Operations and Practices</i> | 249 |
| 2.3.1 | General Hydrocracking Operations..... | 249 |
| 2.3.1.1 | Feed Considerations, Operational Variables, Process Configurations, and Hardware | 250 |
| 2.3.1.1.1 | Feedstock Characterization | 250 |
| 2.3.1.1.2 | Contaminants | 250 |
| 2.3.1.1.3 | Upgrading Tight Oil..... | 252 |
| 2.3.1.1.4 | Increasing Conversion for Heavier Feedstocks..... | 252 |
| 2.3.1.1.5 | Upgrading LCO and/or HCO in Hydrocrackers..... | 253 |
| 2.3.1.1.6 | Undercutting LVGO to Increase Hydrocracker Utilization..... | 255 |
| 2.3.1.1.7 | Optimizing Operational Variables | 256 |
| 2.3.1.1.7.1 | Recycle Rate in Two-stage Units | 256 |
| 2.3.1.1.7.2 | Setting Operational Pressure | 257 |
| 2.3.1.1.7.3 | Flow Control on Feeds from Coking Unit | 258 |
| 2.3.1.1.8 | Reactor Configuration | 259 |
| 2.3.1.1.9 | Optimized Hydrocracker Reactor Internals..... | 259 |
| 2.3.1.1.10 | Removing Welded Attachments from Reactor Internals | 262 |
| 2.3.1.1.11 | Changing Unit Configuration to Boost Yields and Process Alternative Feeds | 263 |
| 2.3.1.1.12 | Large Single Process Train vs. Smaller Parallel Trains in Hydrocrackers | 264 |
| 2.3.1.1.13 | Reactor Fabrication and Metallurgy..... | 264 |
| 2.3.1.1.14 | Comparison of Quench Systems | 266 |
| 2.3.1.1.15 | Revamping the Overhead Condenser of a Hydrocracker..... | 267 |
| 2.3.1.1.16 | Hydrocracker Stripper Revamp | 268 |
| 2.3.1.1.17 | Designing Hydrocracker Charge Heater | 270 |
| 2.3.1.1.18 | Hydrocracker Pump Selection | 270 |
| 2.3.1.1.19 | Membranes for H ₂ Recovery from Hydrocrackers | 271 |
| 2.3.1.1.20 | Parameters Impacting Hydrogen Purity in Recycle Gas | 271 |

| | | |
|------------|--|-----|
| 2.3.1.2 | Fouling, Particulate Deposition, and Corrosion..... | 272 |
| 2.3.1.2.1 | Causes of Hydroprocessor Fouling and Possible Treatments | 272 |
| 2.3.1.2.2 | Chlorides Fouling in Effluent Exchangers..... | 275 |
| 2.3.1.2.3 | Elimination of Polynuclear Aromatics (PNA) Buildup | 278 |
| 2.3.1.2.4 | Preventing Sedimentation in Ebullated-bed Hydrocrackers..... | 279 |
| 2.3.1.2.5 | Iron Sulfide Buildup in VGO Hydrocrackers | 280 |
| 2.3.1.2.6 | Feed Filter Operation..... | 282 |
| 2.3.1.2.7 | Mitigating High Temperature Hydrogen Attack | 283 |
| 2.3.1.2.8 | Fouling in Furnace Tubes | 284 |
| 2.3.1.2.9 | Corrosion in Overhead System | 285 |
| 2.3.1.2.10 | Corrosion in Auxiliary Equipment | 286 |
| 2.3.1.2.11 | Reducing Foaming in an Amine Scrubber | 286 |
| 2.3.1.3 | Operational Problems | 287 |
| 2.3.1.3.1 | Increased Yield Using Multivariable Predictive Control (MPC)..... | 287 |
| 2.3.1.3.2 | Improving Hydrocracker Temperature Control | 290 |
| 2.3.1.3.3 | Detecting Radial Temperature Spread and Preventing Reactor Runaway | 293 |
| 2.3.1.3.4 | Hydrocracker Furnace Operations..... | 295 |
| 2.3.1.3.5 | Causes of Overcracking..... | 296 |
| 2.3.1.3.6 | Improving the Performance of a Debutanizer | 297 |
| 2.3.1.3.7 | Preventing Off-color Naphtha Product..... | 299 |
| 2.3.1.3.8 | Reducing the Level of Sulfur in Naphtha at EOR Conditions..... | 299 |
| 2.3.1.3.9 | Limiting Ammonia Concentration in the Cold High-pressure Separator Overhead..... | 300 |
| 2.3.1.3.10 | Inline Hydrocracker Cleaning System | 301 |
| 2.3.1.3.11 | Improving Recycle Gas Compressor Operation | 301 |
| 2.3.1.4 | Catalyst Management | 303 |
| 2.3.1.4.1 | Selection Process for Hydrocracking Catalysts | 303 |
| 2.3.1.4.2 | Catalyst Testing on Different Scales | 303 |
| 2.3.1.4.3 | Catalyst Loading Precautions..... | 304 |
| 2.3.1.4.4 | Measuring Hydrocracking Catalyst Activity | 305 |
| 2.3.1.4.5 | Catalysts for Processing Tight Oil..... | 306 |
| 2.3.1.4.6 | Catalysts for Processing Various Feeds..... | 306 |
| 2.3.1.4.7 | Replacing a Noble Metal Catalyst with a Base Metal Catalyst..... | 308 |
| 2.3.1.4.8 | Catalyst Structure: Homogeneous vs. Stacked | 309 |
| 2.3.1.4.9 | Ex-Situ Sulfiding (Presulfiding) of Hydrocracking Catalysts | 310 |
| 2.3.1.4.10 | Hydrocracking Catalyst Passivation | 313 |
| 2.3.1.4.11 | Disproportionate Catalyst Deactivation in the First Bed of a Hydrocracker..... | 316 |
| 2.3.1.4.12 | Designing a Posttreat Bed for Hydrocracking Reactors | 316 |
| 2.3.1.4.13 | Asphaltene Contribution to Catalyst Deactivation | 317 |
| 2.3.1.4.14 | Impact of HPNAs on Catalyst Activity and Stability | 317 |
| 2.3.1.4.15 | Regenerated Hydrocracking Catalyst Use..... | 318 |
| 2.3.1.4.16 | Catalyst Removal for Non-free Flowing Catalysts..... | 321 |
| 2.3.1.4.17 | Recovering Spent Hydroprocessing Catalysts and Metal Reclamation | 321 |
| 2.3.1.5 | Reducing Hydrocracker Energy and Hydrogen Use..... | 323 |
| 2.3.1.5.1 | Advanced Process Control and Modeling..... | 323 |
| 2.3.1.5.2 | Cleaning | 324 |
| 2.3.1.5.3 | Heat Integration..... | 325 |
| 2.3.1.5.4 | Power Recovery | 325 |
| 2.3.1.5.5 | Process Heaters | 325 |
| 2.3.1.5.6 | Compressors | 326 |
| 2.3.1.5.7 | Impact of Catalysts | 326 |

| | | |
|-------------|--|-----|
| 2.3.1.6 | Hydrocracker Safety..... | 327 |
| 2.3.1.6.1 | Hydrocracker Safety Incidents..... | 327 |
| 2.3.1.6.2 | Emergency Depressurization: Triggering Criteria, Rates and Modes..... | 329 |
| 2.3.1.6.3 | Operational Status of Emergency Depressurizing Valves and Interlocks..... | 331 |
| 2.3.1.6.4 | Safely Performing Inter-reactor Sampling in Hydrocrackers..... | 332 |
| 2.3.1.6.5 | Sampling of Light Streams around High-Pressure Equipment..... | 332 |
| 2.3.2 | Mild Hydrocracking (MHC)..... | 333 |
| 2.3.2.1 | Mild Hydrocracking: Feedstock, Conversion, and Product Quality..... | 333 |
| 2.3.2.2 | Converting a Cat Feed or Distillate Hydrotreater to a Mild Hydrocracker..... | 334 |
| 2.3.2.3 | Options for Improving the Cycle Length of Mild Hydrocrackers..... | 339 |
| 2.3.3 | Distillate Hydrocracking..... | 340 |
| 2.3.3.1 | Shifting from Maximum Naphtha to Maximum Middle Distillate Yields..... | 340 |
| 2.3.3.2 | Maximizing Diesel Production in VGO Hydrocrackers..... | 343 |
| 2.3.3.3 | Benefits of Moderate Pressure Hydrocracking in Clean Diesel Production..... | 345 |
| 2.3.3.4 | Adjusting CAT to Maximize Diesel Production..... | 347 |
| 2.3.3.5 | Reactor Revamp to Improve ULSD Production..... | 348 |
| 2.3.3.6 | Optimizing Saturation and Volume Swell in ULSD Service..... | 349 |
| 2.3.3.7 | Loading Hydrocracking Catalyst in the Last Bed of a ULSD Unit..... | 350 |
| 2.3.3.8 | Process Revamp for Added H ₂ S Removal to Meet ULSD Standards..... | 350 |
| 2.3.3.9 | Onstream Correlation Models to Continuously Predict Distillate Properties..... | 351 |
| 2.3.3.10 | Improving Diesel Cetane from Hydrocrackers..... | 352 |
| 2.3.3.11 | Hydrocracking Catalysts for Cold Flow Property Improvements..... | 353 |
| 2.3.4 | Integrated Processing Schemes..... | 354 |
| 2.3.4.1 | Vacuum Distillation Unit with Hydrocracker..... | 354 |
| 2.3.4.2 | Delayed Coker with Hydrocracker..... | 354 |
| 2.3.4.3 | Solvent Deasphalting with Hydrocracker..... | 358 |
| 2.3.4.4 | Mild Hydrocracker with FCC..... | 365 |
| 2.3.4.5 | Integrated Processes for Heavy Oil Upgrading..... | 366 |
| 2.4 | <i>Refining R&D Alert!</i> | 370 |
| 2.4.1 | Introduction..... | 370 |
| 2.4.2 | General Hydrocracking..... | 376 |
| 2.4.2.1 | Process..... | 376 |
| 2.4.2.2 | Catalyst..... | 378 |
| 2.4.2.2.1 | Novel Composition..... | 378 |
| 2.4.2.2.1.1 | Patents..... | 378 |
| 2.4.2.2.1.2 | Research..... | 383 |
| 2.4.2.2.2 | Preparation Method..... | 384 |
| 2.4.2.2.2.1 | Patents..... | 384 |
| 2.4.2.2.2.2 | Research..... | 387 |
| 2.4.2.2.3 | Other..... | 388 |
| 2.4.2.3 | Hardware..... | 389 |
| 2.4.2.4 | Integrated Operations..... | 390 |
| 2.4.2.5 | Reducing Energy and/or Hydrogen Use..... | 391 |
| 2.4.2.6 | Removal of HPNAs..... | 393 |
| 2.4.2.7 | Process Modeling and Control..... | 395 |
| 2.4.2.7.1 | Patents..... | 395 |
| 2.4.2.7.2 | Research..... | 396 |
| 2.4.3 | Product Selective Hydrocracking..... | 397 |
| 2.4.3.1 | Middle Distillates..... | 397 |
| 2.4.3.1.1 | Process..... | 397 |

| | | |
|---------------|---|-----|
| 2.4.3.1.2 | Catalyst | 401 |
| 2.4.3.1.2.1 | Support with Improved Porosity..... | 401 |
| 2.4.3.1.2.2 | Other..... | 402 |
| 2.4.3.1.2.2.1 | Patents..... | 402 |
| 2.4.3.1.2.2.2 | Research | 404 |
| 2.4.3.2 | Heavy Naphtha..... | 405 |
| 2.4.3.3 | High-octane Gasoline | 406 |
| 2.4.3.4 | BTX | 408 |
| 2.4.3.4.1 | Process..... | 408 |
| 2.4.3.4.1.1 | Patents..... | 408 |
| 2.4.3.4.1.2 | Research | 409 |
| 2.4.3.4.2 | Catalyst | 410 |
| 2.4.3.4.2.1 | Patents..... | 410 |
| 2.4.3.4.2.2 | Research | 411 |
| 2.4.3.5 | LPG/Light Olefins..... | 411 |
| 2.4.3.5.1 | Process..... | 411 |
| 2.4.3.5.2 | Catalyst | 414 |
| 2.4.4 | Resid Hydrocracking..... | 414 |
| 2.4.4.1 | Ebullated-bed Reactor..... | 414 |
| 2.4.4.1.1 | Process..... | 414 |
| 2.4.4.1.1.1 | Patents..... | 414 |
| 2.4.4.1.1.2 | Research | 416 |
| 2.4.4.1.2 | Catalyst | 417 |
| 2.4.4.2 | Slurry-bed Reactor | 418 |
| 2.4.4.2.1 | Process..... | 418 |
| 2.4.4.2.1.1 | Patents..... | 418 |
| 2.4.4.2.1.2 | Research | 420 |
| 2.4.4.2.2 | Catalyst | 423 |
| 2.4.4.2.2.1 | Patents..... | 423 |
| 2.4.4.2.2.2 | Research | 425 |
| 2.4.4.3 | Other..... | 427 |
| 2.4.4.3.1 | Process..... | 427 |
| 2.4.4.3.1.1 | Patents..... | 427 |
| 2.4.4.3.1.2 | Research | 429 |
| 2.4.4.3.2 | Catalyst | 430 |
| 2.4.4.3.2.1 | Patents..... | 430 |
| 2.4.4.3.2.2 | Research | 431 |
| 2.4.5 | Hydrocracking Alternative Feedstocks..... | 432 |
| 2.4.5.1 | Fischer-Tropsch Liquids..... | 432 |
| 2.4.5.2 | Renewable Feedstocks..... | 433 |
| 2.4.5.2.1 | Production of Fuels..... | 433 |
| 2.4.5.2.1.1 | Patents..... | 433 |
| 2.4.5.2.1.2 | Research | 436 |
| 2.4.5.2.2 | Production of Chemicals..... | 437 |
| 2.5 | <i>Worldwide Installed Capacity</i> | 438 |
| 2.6 | <i>Construction</i> | 440 |
| 2.6.1 | Recent Construction Activity..... | 440 |
| 2.6.2 | Completed Construction Projects | 446 |
| 2.7 | <i>References</i> | 459 |

| | |
|--|------------|
| 3. PRODUCT TREATING AND BLENDING..... | 491 |
| 3.1 Market/Technology Trends & Opportunities | 491 |
| 3.1.1 Introduction | 491 |
| 3.1.2 Market Conditions and Outlook | 491 |
| 3.1.3 Technology Competition, Directions, and Future Prospects | 493 |
| 3.1.3.1 Product Treating | 493 |
| 3.1.3.1.1 Commercial Technologies | 495 |
| 3.1.3.1.2 Trends in R&D..... | 500 |
| 3.1.3.1.2.1 Adsorptive Desulfurization | 500 |
| 3.1.3.1.2.2 Oxidative Desulfurization | 501 |
| 3.1.3.1.2.3 Membrane Desulfurization | 503 |
| 3.1.3.1.2.4 Ionic Liquid Extraction | 503 |
| 3.1.3.2 Product Blending..... | 504 |
| 3.1.3.2.1 Commercial Technologies | 506 |
| 3.1.3.2.2 Trends in R&D..... | 512 |
| 3.1.4 Conclusion..... | 513 |
| 3.2 State-of-the-Art Technology | 514 |
| 3.2.1 Introduction | 514 |
| 3.2.2 Product Treating | 516 |
| 3.2.2.1 Commercial Processes | 516 |
| 3.2.2.1.1 Alternative Petroleum Technologies | 516 |
| 3.2.2.1.2 Axens | 517 |
| 3.2.2.1.2.1 Sulfrex..... | 517 |
| 3.2.2.1.2.2 Sweetening | 518 |
| 3.2.2.1.2.3 Sweetn'K..... | 519 |
| 3.2.2.1.2.4 Sweetn'G | 519 |
| 3.2.2.1.2.5 OATS | 519 |
| 3.2.2.1.3 ExxonMobil..... | 520 |
| 3.2.2.1.4 GTC Technology Inc. | 522 |
| 3.2.2.1.5 Hielscher Ultrasonics..... | 524 |
| 3.2.2.1.6 Honeywell UOP | 526 |
| 3.2.2.1.6.1 Merox | 526 |
| 3.2.2.1.6.1.1 Extraction | 528 |
| 3.2.2.1.6.1.2 Sweetening..... | 529 |
| 3.2.2.1.6.1.2.1 Fixed-bed | 529 |
| 3.2.2.1.6.1.2.2 MinAlk | 530 |
| 3.2.2.1.6.1.2.3 Caustic-Free Merox | 531 |
| 3.2.2.1.6.1.2.4 Liquid-liquid Sweetening..... | 532 |
| 3.2.2.1.6.2 Sulfur-X..... | 532 |
| 3.2.2.1.7 Indian Oil Corp..... | 534 |
| 3.2.2.1.8 Merichem | 535 |
| 3.2.2.1.8.1 Extraction and Oxidation..... | 535 |
| 3.2.2.1.8.2 Spent Caustic Treatment..... | 540 |
| 3.2.2.1.9 Reliance Industries/Indian Institute of Petroleum | 543 |
| 3.2.2.1.10 Schlumberger | 544 |
| 3.2.2.1.11 Sinopec | 544 |
| 3.2.2.2 Catalysts, Adsorbents, and Other Technologies | 547 |
| 3.2.2.2.1 Axens | 547 |
| 3.2.2.2.2 Chemical Products Industries, Inc. | 548 |
| 3.2.2.2.3 CSIR-Indian Institute of Petroleum..... | 549 |

| | | |
|------------|---|-----|
| 3.2.2.2.4 | Honeywell UOP | 549 |
| 3.2.2.2.5 | Merichem..... | 551 |
| 3.2.2.2.6 | No Heat Resources..... | 552 |
| 3.2.2.3 | Emerging Technologies | 552 |
| 3.2.2.4 | Summary of Commercial Product Treating Processes | 553 |
| 3.2.3 | Product Blending..... | 556 |
| 3.3 | <i>Plant Operations and Practices</i> | 562 |
| 3.3.1 | General Non-hydrogen Product Treating..... | 562 |
| 3.3.1.1 | Predicting Sulfur Type, Levels in FCC Products..... | 562 |
| 3.3.1.2 | Methods of Removing Sulfur Compounds Without Hydrogen | 562 |
| 3.3.1.3 | Analyzing Product Streams for Sulfur and Aromatics | 564 |
| 3.3.1.4 | LPG Treating | 565 |
| 3.3.1.4.1 | Minimizing Caustic Consumption in Product Treating..... | 565 |
| 3.3.1.4.2 | Effects of H ₂ S Content on Deethanizer | 566 |
| 3.3.1.4.3 | Mercury Removal | 567 |
| 3.3.1.4.4 | Commercial Methods of Removing COS from Propane/Propylene Streams..... | 567 |
| 3.3.1.4.5 | Amine Solvent Recovery in LPG Treating..... | 567 |
| 3.3.1.4.6 | Surfactants in LPG Feed to Amine Units | 568 |
| 3.3.1.5 | Gasoline Treating | 570 |
| 3.3.1.5.1 | Liquid-Liquid Coalescence to Obtain On-spec FCC Gasoline | 570 |
| 3.3.1.5.2 | Utilizing Octane-enhancing FCC Additives in Product Treating Applications | 570 |
| 3.3.1.5.3 | Natural Gasoline Processing Problems | 572 |
| 3.3.1.5.4 | Minimizing Gasoline Color Degradation | 572 |
| 3.3.1.6 | Middle Distillates Treating | 573 |
| 3.3.1.6.1 | Meeting Cloud Point and CFPP Specifications with Additives | 573 |
| 3.3.1.6.2 | Meeting Jet Fuel Specifications | 573 |
| 3.3.1.6.3 | Minimizing Jet Fuel Color Degradation..... | 574 |
| 3.3.2 | Product Blending..... | 575 |
| 3.3.2.1 | Systematic Approach to Upgrading Refinery Blending Operations..... | 575 |
| 3.3.2.2 | Benefits of Inline Blending over Storage | 578 |
| 3.3.2.3 | Use of Process Analyzers and Models..... | 578 |
| 3.3.2.4 | Accurately Predicting Cetane Improver Impact | 580 |
| 3.3.2.5 | Predicting Viscosity for Heavy Blends | 580 |
| 3.3.2.6 | Incorporating Logistics in Blending Optimizations Systems..... | 580 |
| 3.3.2.7 | Benchmarking a Refinery's Fuel Blending System..... | 581 |
| 3.3.2.8 | Fuels Blend Header Design..... | 582 |
| 3.3.2.9 | Gasoline Blending..... | 583 |
| 3.3.2.9.1 | Optimal Gasoline Blending | 583 |
| 3.3.2.9.2 | Effect of RVP on Gasoline Loss During Blending..... | 586 |
| 3.3.2.9.3 | Butanes and RVP Management | 586 |
| 3.3.2.9.4 | Blending Opportunities for Heavy Naphtha | 587 |
| 3.3.2.9.5 | Online Analyzers Used for Gasoline Blending..... | 588 |
| 3.3.2.9.6 | Accurately Predicting Gasoline Octane Using ANN Models | 591 |
| 3.3.2.9.7 | Impact of Tier 3 Regulations and LTO Processing on Gasoline Blendstocks..... | 591 |
| 3.3.2.9.8 | Gasoline Blending Directly into Tanker Ships | 592 |
| 3.3.2.9.9 | Accounting for Nonlinearity of Gasoline Properties | 593 |
| 3.3.2.10 | Bunker Fuel Blending | 594 |
| 3.3.2.11 | Biofuels Blending..... | 597 |
| 3.3.2.11.1 | Flexible Fuel Terminals for Biofuels Blending..... | 597 |
| 3.3.2.11.2 | European Union Measuring Instruments Directive | 597 |

| | | |
|--------------|---|------------|
| 3.3.2.11.3 | Ethanol Blending into the Gasoline Pool..... | 598 |
| 3.3.2.11.3.1 | Corrosion..... | 598 |
| 3.3.2.11.3.2 | Gasoline Blendstocks..... | 599 |
| 3.3.2.11.3.3 | Controlling and Certifying Product Quality..... | 600 |
| 3.3.2.11.3.4 | Gasoline Pool Components..... | 601 |
| 3.3.2.11.3.5 | Isobutanol as an Alternative to Ethanol..... | 602 |
| 3.3.2.11.4 | Biodiesel Blending into the Diesel Pool..... | 602 |
| 3.4 | <i>Refining R&D Alert!</i> | 603 |
| 3.4.1 | Introduction..... | 603 |
| 3.4.2 | Product Treating..... | 616 |
| 3.4.2.1 | Adsorptive Desulfurization..... | 616 |
| 3.4.2.1.1 | Patents..... | 616 |
| 3.4.2.1.2 | Research..... | 617 |
| 3.4.2.2 | Oxidative Desulfurization..... | 618 |
| 3.4.2.2.1 | Catalyst..... | 618 |
| 3.4.2.2.1.1 | Patents..... | 618 |
| 3.4.2.2.1.2 | Research..... | 623 |
| 3.4.2.2.2 | Process..... | 623 |
| 3.4.2.2.2.1 | Patents..... | 623 |
| 3.4.2.2.2.2 | Research..... | 627 |
| 3.4.2.2.3 | Apparatus..... | 627 |
| 3.4.2.2.3.1 | Patents..... | 627 |
| 3.4.2.2.3.2 | Research..... | 629 |
| 3.4.2.3 | Ionic Liquid Extraction..... | 629 |
| 3.4.2.3.1 | Patents..... | 629 |
| 3.4.2.3.2 | Research..... | 634 |
| 3.4.2.4 | Membrane Desulfurization..... | 635 |
| 3.4.2.4.1 | Patents..... | 635 |
| 3.4.2.4.2 | Research..... | 637 |
| 3.4.2.5 | Benzene Removal..... | 637 |
| 3.4.2.5.1 | Patent..... | 637 |
| 3.4.2.5.2 | Research..... | 637 |
| 3.4.3 | Product Blending..... | 638 |
| 3.4.3.1 | Monitoring and Control..... | 638 |
| 3.4.3.2 | Methods and Parameters..... | 639 |
| 3.4.3.3 | Apparatus..... | 641 |
| 3.5 | <i>Construction</i> | 642 |
| 3.5.1 | Recent Construction Activity..... | 642 |
| 3.5.2 | Completed Construction Projects..... | 644 |
| 3.6 | <i>References</i> | 660 |
| 4. | LATEST REFINING TECHNOLOGY DEVELOPMENTS & LICENSING..... | 673 |
| 4.1 | <i>Fluid Catalytic Cracking</i> | 673 |
| 4.2 | <i>Hydrotreating (including HDS)</i> | 673 |
| 4.3 | <i>Catalytic Reforming</i> | 674 |
| 4.4 | <i>Alkylation</i> | 674 |
| 4.5 | <i>Crude Treatment (e.g. Desalting)</i> | 675 |

| | | |
|------|--|-----|
| 4.6 | <i>Coking</i> | 675 |
| 4.7 | <i>Deasphalting</i> | 675 |
| 4.8 | <i>Hydrogen Production and Purification</i> | 675 |
| 4.9 | <i>Lube Production</i> | 676 |
| 4.10 | <i>Aromatics and Light Olefins Production</i> | 676 |
| 4.11 | <i>Process Controls and Simulation</i> | 681 |
| 4.12 | <i>Internet of Things (IoT)</i> | 685 |
| 4.13 | <i>XTL (Biomass-, Coal-, and Gas-to-liquid)</i> | 691 |
| 4.14 | <i>Biofuels Production</i> | 692 |
| 4.15 | <i>CO₂ Emissions (Carbon Capture and Sequestration)</i> | 694 |
| 4.16 | <i>Site Emissions</i> | 696 |
| 4.17 | <i>References</i> | 696 |